



Specifications Noxion LED Floodlight  
Beamy G3 50W 5500lm 110D - 830  
Warm White | IP44 - Motion and Light  
Sensor - Symmetrical



[View Product](#)

## General Information

|                          |                                                                                |
|--------------------------|--------------------------------------------------------------------------------|
| SKU                      | 248952                                                                         |
| EAN                      | 8719157048989                                                                  |
| Manufacturer Code        | 8719157048989                                                                  |
| Brand                    | Noxion                                                                         |
| Manufacturer Name        | Noxion LED Floodlight Beamy G3 IP44 50W 5500lm 3000K (With Plug-in PIR Sensor) |
| Any Lamp all-in warranty | 4 Years                                                                        |
| Average Lifetime (h)     | 30000                                                                          |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Wattage                     | 50W             |
| Replaces (Watt)             | 50              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Luminous Flux (Lumen)       | 5500lm          |

|                          |                |
|--------------------------|----------------|
| Luminous Efficacy (lm/W) | 110            |
| Beam Angle (degree)      | 110            |
| Tiltable                 | Yes            |
| Power factor             | >0.90          |
| Product Type Category    | LED Floodlight |

### Fixture Information

---

|                        |                 |
|------------------------|-----------------|
| Mounting Method        | Surface         |
| Fixture Connection     | Cable 100cm     |
| Optical Cover          | Glass           |
| Light Distribution     | Symmetrical     |
| IP-rating              | IP44            |
| Impact Protection (IK) | IK07 - 2 joules |
| Operating Temperature  | 0 to +100       |
| Colour of the Fixture  | Black           |
| Housing                | Aluminium       |
| Series                 | Beamy           |

### Dimensions

---

|             |     |
|-------------|-----|
| Length (mm) | 175 |
| Width (mm)  | 48  |
| Height (mm) | 200 |

### Sensor Information

---

|                                 |                             |
|---------------------------------|-----------------------------|
| Type of sensor                  | Light Sensor, Motion Sensor |
| Sensor Detection Angle (degree) | 120                         |
| Sensor Reach (m)                | 10                          |

Sensor Time Setting

6 sec - 5 min

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

